

## AMENDMENTS OF THE CLAIMS:

Please amend Claims 6 through 8, 16 through 18 as follows:

1. (Cancelled)

2. (Previously Presented) The system according to claim 7, wherein said display unit has an optical see through structure, and the user can observe a real space via said display unit.

3. (Previously Presented) The system according to claim 7, further comprising:  
a first image taking device for obtaining a video of a real space observed from a viewpoint of the user, and  
wherein said composition unit displays the video obtained by said first image taking device on said display unit, and superimposes the other image on the display region determined by said determination unit.

4. (Previously Presented) The system according to claim 7, wherein the information is a video obtained by a second image taking device for taking an image from a viewpoint other than a viewpoint of the user.

5. (Cancelled)

6. (Currently Amended) An image composition system for compositing a real image ~~in a line-of-sight direction of a user~~ corresponding to a position of a display unit with ~~another~~ an other image, said system comprising:  
a the display unit<sub>1</sub> which is wearable on a head of ~~the~~ a user, and displays a composite image;

a position sensor for detecting ~~the line-of-sight direction of the user~~ the position of the display unit, and outputting ~~line-of-sight position~~ information;

a determination unit for determining a display region where the other image is to be displayed, in accordance with the ~~line-of-sight position~~ information;

a composition unit for compositing the other image on the determined display region, wherein the other image is used to display information that helps operations of the user, and wherein the information is text information; and

a memory for holding a pair of the text information and time information indicating a display timing of the text information,

wherein said composition unit switches the text information to be displayed on the display region in accordance with the time information held by said memory.

7. (Currently Amended) An image composition system for compositing a real image in ~~a line-of-sight direction of a user~~ corresponding to a position of a display unit with ~~another an other~~ image, said system comprising:

~~a~~ the display unit, which is wearable on a head of ~~the a~~ user, and displays a composite image;

a position sensor for detecting ~~the line-of-sight direction of the user~~ the position of the display unit, and outputting ~~line-of-sight position~~ information;

a determination unit for determining a display region where the other image is to be displayed, in accordance with ~~the line-of-sight position~~ information; and

a composition unit for compositing the other image on the determined display region, wherein the other image is used to display information that helps operations of the user, and user; and

wherein said determination unit comprises:

(a) a setting unit for setting a space region for displaying the other image in the real space; and

(b) a conversion unit for converting the space region set by said setting unit into the display region on said display unit on the basis of a position and posture of the user.

8. (Currently Amended) An image composition system for compositing a real image in a ~~line-of-sight direction of a user~~ corresponding to a position of a display unit with another ~~an other~~ image, said system comprising:

a ~~the~~ display unit, which is wearable on a head of ~~the a~~ user, and displays a composite image;

a position sensor for detecting ~~the line-of-sight direction of the user~~ the position of the display unit, and outputting ~~line-of-sight position~~ information;

a determination unit for determining a display region where the other image is to be displayed, in accordance with the ~~line-of-sight position~~ information;

a composition unit for compositing the other image on the determined display region, wherein the other image is used to display information that helps operations of the user; and

a gesture detection unit capable of detecting a predetermined action of the user, wherein said composition unit performs turn on/off display control of the other image in response to a predetermined action detected by said gesture detection unit.

9. (Original) The system according to claim 8, wherein said composition unit switches contents of the other image to be displayed on the display region in response to a predetermined action detected by said gesture detection unit.

10. (Previously Presented) The system according to claim 7, wherein the information is dialog information.

11. (Previously Presented) The system according to claim 7, wherein the information is an image obtained by taking an image of an action of the user.

12 - 15. (Cancelled)

16. (Currently Amended) An information processing method of displaying a composite image of a real image ~~in a line-of-sight direction of a user~~ corresponding to a position of a display unit and ~~another an other~~ image on a the display unit, which is wearable on a head of ~~the a~~ user, said method comprising the steps of:

detecting ~~the line-of-sight direction of the user~~ the position of the display unit, and outputting ~~line-of-sight~~ position information;

determining a display region where the other image is to be displayed, in accordance with the ~~line-of-sight~~ position information;

compositing the other image on the determined display region, wherein the other image is used to display information that helps operations of the user, and wherein the information is text information; and

holding in a memory a pair of the text information and time information indicating a display timing of the text information,

wherein said compositing step switches the text information to be displayed on the display region in accordance with the time information held by the memory.

17. (Currently Amended) An information processing method of displaying a composite image of a real image ~~in a line-of-sight direction of a user~~ corresponding to a position of a display unit and ~~another an other~~ image on a the display unit, which is wearable on a head of ~~the a~~ user, said method comprising the steps of:

detecting ~~the line-of-sight direction of the user~~ the position of the display unit, and outputting ~~line-of-sight~~ position information;

determining a display region where the other image is to be displayed, in accordance with ~~the line-of-sight~~ position information; and

compositing the other image on the determined display region, wherein the other image is used to display information that helps operations of the user,

wherein said determining step comprises:

(a) a setting step of setting a space region for displaying the other image in the real space; and

(b) a converting step of converting the space region set by said setting step into the display region on the display unit on the basis of a position and posture of the user.

18. (Currently Amended) An information processing method of displaying a composite image of a real image ~~in a line-of-sight direction of a user~~ corresponding to a position of a display unit and ~~another an other~~ image on a the display unit, which is wearable on a head of the user, said method comprising the steps of:

detecting ~~the line-of-sight direction of the user~~ the position of the display unit, and outputting ~~line-of-sight~~ position information;

determining a display region where the other image is to be displayed, in accordance with the ~~line-of-sight~~ position information;

compositing the other image on the determined display region, wherein the other image is used to display information that helps operations of the user; and

a gesture detecting step of detecting a predetermined action of the user,

wherein said compositing step performs turn on/off display control of the other image in response to a predetermined action detected by said gesture detecting step.

19. (Previously Presented) A computer-readable medium that stores a computer-executable program for making a computer execute the information processing method according to claim 16.

20. (Previously Presented) A computer-readable medium that stores a computer-executable program for making a computer execute the information processing method according to claim 17.

21. (Previously Presented) A computer-readable medium that stores a computer-executable program for making a computer execute the information processing method according to claim 18.